




| F20 - 6 x 100 mL | | |
|-------------------------------|---------|----------|
| Carbon Fiber Centrifuge Rotor | | |
| RPM | MAX RCF | k factor |
| 20000 | 43456 | 633 |
| 19000 | 39219 | 702 |
| 18000 | 35199 | 782 |
| 17000 | 31397 | 876 |
| 16000 | 27812 | 989 |
| 15000 | 24444 | 1126 |
| 14000 | 21293 | 1292 |
| 13000 | 18360 | 1499 |
| 12000 | 15644 | 1759 |
| 11000 | 13145 | 2093 |
| 10000 | 10864 | 2533 |
| 9000 | 8800 | 3127 |
| 8000 | 6953 | 3958 |
| 7000 | 5323 | 5169 |
| 6000 | 3911 | 7036 |
| 5000 | 2716 | 10132 |
| 4000 | 1738 | 15831 |
| 3000 | 978 | 28145 |
| 2000 | 435 | 63326 |
| 1000 | 109 | 253303 |

422 Aldo Avenue, Santa Clara, CA. 95054-2301
 800.784.3843 - Fax 408.988.1196
www.piramoon.com



- Limited Lifetime Warranty!
- Corrosion free
- Up to 60% lighter than metallic equivalents
- Highly resistant to radiolabel contamination
- Compatible with all popular floor model centrifuges.
- No need for derating after years of use
- Fully autoclavable
- Superior insulating properties, making chilling unnecessary
- Competitively priced at or below the cost of conventional metallic rotors

Offering the rewards of 40 years of aerospace R&D to scientists and researchers everywhere. Not only is carbon fiber at the cutting edge of technology, it is also the most sensible and safe alternative to the standard aluminum and titanium alloys used today for all centrifugation rotors. With properties matching those of steel, but without the negative attributes, carbon fiber is leagues ahead of metal in regards to strength, weight, and malleability. Please contact FIBERLite for further product information.